

# INTEGRAL VALVES

KIT #	DESCRIPTION		KIT #	DESCRIPTION
<b>KC01A</b>	12VDC	DIN/HIRSCHMANN	<b>KC03</b>	RELIEF, CHECK, MANUAL RELEASE VALVE KIT DIRECT ACTING
<b>KC01B</b>	12VDC	DUAL 1/4" SPADE	<b>KC05</b>	RELIEF, CHECK, MANUAL RELEASE VALVE KIT WITH MICRO-SWITCH
<b>KC01C</b>	12VDC	SINGLE #10 UNF STUD	<b>KC07</b>	RELIEF & CHECK VALVE KIT
<b>KC01D</b>	24VDC	DIN/HIRSCHMANN	<b>KC08</b>	RELIEF, CHECK, MANUAL RELEASE VALVE KIT DIRECT ACTING
<b>KC01E</b>	24VDC	DUAL 1/4" SPADE	<b>KC14</b>	RELIEF, CHECK, MANUAL RELEASE VALVE KIT DIRECT ACTING
<b>KC01F</b>	24VDC	SINGLE #10 UNF STUD	<b>KC15</b>	RELIEF, CHECK, MANUAL RELEASE VALVE KIT DIRECT ACTING
<b>KC01G</b>	24VDC	DIN/HIRSCHMANN	<b>KC18</b>	RELIEF, CHECK & LEVER RELEASE VALVE KIT
<b>KC01H</b>	230VAC	DIN/HIRSCHMANN	<b>KFC2</b>	.5 GAL PRESSURE COMP FLOW CONTROLS
<b>KC01J</b>	115VAC	DIN/HIRSCHMANN	<b>KFC2</b>	1 GAL PRESSURE COMP FLOW CONTROLS
<b>KC01K</b>	12VDC	SMART START	<b>KFC2</b>	1.5 GAL PRESSURE COMP FLOW CONTROLS
<b>KC01L</b>	24DC	SMART START	<b>KFC2</b>	2 GAL PRESSURE COMP FLOW CONTROLS

# RESERVOIRS

KIT #	NOMINAL CAPACITY (GAL)	TANK LENGTH		USEABLE OIL CAPACITY			
		MM	INCH	VERTICAL LITRE	HORIZONTAL CU IN	LITRE	CU IN
<b>KR12</b>	.5	216	8.50	1.4	85	1.6	90
<b>KR14</b>	.75	305	12.00	2.4	138	2.2	135
<b>KR15</b>	1.0	368	14.50	2.6	165	2.6	161
<b>KR22</b>	.5	216	8.50	1.4	83	1.6	100
<b>KR24</b>	.75	280	11.00	2.3	138	2.2	130
<b>KR25</b>	1.0	356	14.00	3.3	200	2.9	175
<b>KR40</b>	1.0	200	7.88	1.6	100	2.8	170
<b>KR45</b>	1.2	250	9.84	2.6	160	3.6	220
<b>KR41</b>	1.5	300	11.81	3.6	220	4.4	270
<b>KR42</b>	2.0	400	15.75	5.6	340	5.9	360
<b>KR46</b>	2.5	432	17.00	6.2	380	6.4	390
<b>KR43</b>	3.0	550	21.65	8.5	520	8.2	500
<b>KR44</b>	4.0	660	26.00	10.6	650	9.8	600
<b>KR50</b>	1.0	190	7.50	1.9	120	3.1	186
<b>KR55</b>	1.2	228	9.00	2.9	180	3.8	230
<b>KR51</b>	1.5	279	11.00	4.3	260	4.7	286
<b>KR52</b>	2.0	330	13.00	5.6	340	5.6	345
<b>KR56</b>	2.5	381	15.00	6.9	420	6.6	400
<b>KR53</b>	3.0	508	20.00	10.2	620	8.8	540
<b>KR54</b>	4.0	660	26.00	14.1	860	11.7	715